

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/809,825	03/26/2004		Minoru Saitoh	116692005500	7936	
25227	7590	04/28/2006		EXAMINER		
MORRISO!	N & FOE	ERSTER LLP	READY, BRYAN			
1650 TYSON SUITE 300	NS BOUL	EVARD		ART UNIT PAPER NUMBER		
MCLEAN, '	VA 2210	2		2852		
				DATE MAILED: 04/28/2006	6	

Please find below and/or attached an Office communication concerning this application or proceeding.

			国人
	Application No.	Applicant(s)	
	10/809,825	SAITOH ET AL.	
Office Action Summary	Examiner	Art Unit	
	Bryan P. Ready	2852	
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet v	vith the correspondence address -	
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perions after the period for reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the mained patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN 1.136(a). In no event, however, may a od will apply and will expire SIX (6) MO ute, cause the application to become A	ICATION. I reply be timely filed INTHS from the mailing date of this communical INTHS (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 26	March 2004.		
	nis action is non-final.		
3) Since this application is in condition for allow		tters, prosecution as to the merits	s is
closed in accordance with the practice under	•	• •	
Disposition of Claims			
4) ☐ Claim(s) 1-16 is/are pending in the application 4a) Of the above claim(s) is/are withdrest is/are allowed. 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-16 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and	rawn from consideration.		
Application Papers			
9)☐ The specification is objected to by the Exami	ner.		
10)⊠ The drawing(s) filed on 26 March 2004 is/are	: a)⊠ accepted or b)□ ot	jected to by the Examiner.	
Applicant may not request that any objection to the	ne drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the			
Priority under 35 U.S.C. § 119			•
12)⊠ Acknowledgment is made of a claim for foreig a)⊠ All b)□ Some * c)□ None of:		§ 119(a)-(d) or (f).	
1. Certified copies of the priority docume			
2. Certified copies of the priority docume		· ·	
3. Copies of the certified copies of the pr	•	received in this National Stage	
application from the International Bure	, , , , , , , , , , , , , , , , , , , ,		
* See the attached detailed Office action for a list	st of the certified copies no	t received.	
Attachment(s)	 டு		
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 	Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application (PTO-152)	
Paper No(s)/Mail Date <u>20040326</u> .	6) 🔲 Other:	<u></u> .	

Art Unit: 2852

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-3, 7-8, 13, and 15 are rejected under 35 U.S.C. 102(b) as being anticipated by Yamashita et al (US 5,873,009).
- a. Yamashita et al. disclose a management system (Fig. 1) comprising a printing machine (P), a management apparatus (D) and a maintenance terminal (H, see also col. 1 lines 30-33) connected to one another over an external network (L, see also col. 1 lines 33-35), wherein said printing machine (P) generates use information (col. 5 lines 57-60) indicating contents of a printing operation and transmits said generated use information (col. 5 lines 57-60) to said management apparatus (D), and said management apparatus (D) receives said use information (col. 5 lines 57-60) sent from said printing machine (P), discriminates whether preventive maintenance (col. 1 lines 57-67) for said printing machine (P) is needed or not in accordance with said received use information (col. 5 lines 57-60), and transmits instruction information instructing preventive maintenance (col. 1 lines 57-67) to said maintenance terminal (H) when it is discriminated that said preventive maintenance (col. 1 lines 57-67) is needed.
- b. Yamashita et al. disclose a management system (Fig. 1) wherein said use information (col. 5 lines 57-60) generated by said printing machine (P) includes number-

Application/Control Number: 10/809,825

Art Unit: 2852

of-printouts (col. 1 lines 53-56) information indicating a number of sheets printed (col. 1 lines 53-56) by said printing operation, and said management apparatus (D) memorizes a threshold value (col. 1 lines 57-67) of a predetermined number of printouts (col. 1 lines 35-41) in association with said printing machine (P), and discriminates whether or not preventive maintenance (col. 1 lines 57-67) for said printing machine (P) is needed based on a quantity indicated by said number-of-printouts (col. 1 lines 53-56) information included in said use information (col. 5 lines 57-60) received by said management apparatus (D) and said threshold value (col. 1 lines 57-67) memorized by said management apparatus (D).

Page 3

- c. Yamashita et al. disclose a management system (Fig. 1) wherein said management apparatus (D) memorizes maintenance field information (col. 1 lines 45-51) indicating a field of maintenance which is carried out by a maintenance person (col. 1 lines 64-67) who uses a maintenance terminal (H), specifies said maintenance terminal (H) of said maintenance person (col. 1 lines 64-67) who maintains said printing machine (P), when it is discriminated that said preventive maintenance (col. 1 lines 57-67) is needed, based on contents of said preventive maintenance (col. 1 lines 57-67) discriminated as necessary and said maintenance field information (col. 1 lines 45-51), and transmits instruction information (col. 1 lines 34-37) to said specified maintenance terminal (H).
- d. Yamashita et al. disclose a machine management apparatus (Fig. 1) which is connected to an external printing machine (P) and an external maintenance terminal (H) over an external network (L) and has: a communication control device (D) that receives

Application/Control Number: 10/809,825

Page 4

Art Unit: 2852

use information sent from said printing machine (P); and a processor (Fig. 4 element 23) that discriminates whether preventive maintenance (col. 1 lines 57-67) for said printing machine (P) is needed or not in accordance with said use information (col. 5 lines 57-60) received by said communication control device (D), and generates instruction information (col. 1 lines 34-37) instructing preventive maintenance to said maintenance terminal (H) when it is discriminated that said preventive maintenance (col. 1 lines 57-67) is needed, whereby said communication control device (D) transmits said instruction information (col. 1 lines 34-37) to said maintenance terminal (H).

- e. Yamashita et al. further disclose a machine management apparatus (Fig. 1) having a memory (Fig. 4 element 26) which stores maintenance field information (col. 1 lines 45-51) indicating a field of maintenance which is carried out by a maintenance person (col. 1 lines 64-67) who uses a maintenance terminal (H), and wherein when having discriminated that said preventive maintenance (col. 1 lines 57-67) is needed, said processor (Fig. 4 element 23) specifies said maintenance terminal (H) of said maintenance person (col. 1 lines 64-67) who maintains said printing machine (P), based on contents of said preventive maintenance (col. 1 lines 57-67) discriminated as necessary and said maintenance field information (col. 1 lines 45-51), and said communication control device (D) transmits instruction information (col. 1 lines 34-37) to said specified maintenance terminal (H).
- f. Yamashita et al. disclose (Fig. 4) a computer readable medium (25), having a program recorded therein, and a computer data signal buried in a carrier (24) and

Art Unit: 2852

expressing a program that allows a computer having a communication control device (D) to function as a machine management apparatus (D).

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 5. Claims 4-6, 9-12, 14, and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamashita et al. (US 5,873,009) as applied to claims 1-3, 7-8, 13, and 15 above, and further in view of Yacoub (US 6,552,813).
- a. Yamashita et al. disclose the elements as outlined above (see 102b rejections, paragraphs a-f) and in addition discloses the use of a user terminal (Fig. 3 element 18). Yamashita et al. also disclose (Fig. 1) a printing machine (P) generating trouble information (col. 1 lines 25-29) indicating contents of a trouble occurred and transmits

Art Unit: 2852

said generated trouble information to said management apparatus (D), and said management apparatus (D) receives said trouble information (col. 1 lines 25-29) sent from said printing machine (P), discriminates whether urgent maintenance for said printing machine (P) is needed or not in accordance with said received trouble information (col. 1 lines 25-29) and, when it is discriminated that said urgent maintenance is needed, transmits instruction information of urgent maintenance to said maintenance terminal (H, col. 1 lines 57-67).

- b. Yamashita et al. differs from the instant claimed invention in not disclosing a management system including a substitute printing machine, wherein a management apparatus transmits substitution information of said substitute printing machine to be a substitute output destination to a user terminal which is using said printing machine. Additionally, Yamashita et al. differs from the instant claimed invention in not disclosing a management apparatus, wherein a driver program, which is to be run by said printing machine, is installed, beforehand, in the user terminal.
- c. Yacoub discloses a management system (Fig. 2, see corresponding disclosure for details) including a substitute-printing machine (associated with step 260), wherein a management apparatus transmits substitution information (step 250) of said substitute printing machine (associated with step 260) to be a substitute output destination to a user terminal (associated with step 270) that is using a printing machine (associated with step 200). Additionally, Yacoub discloses a driver program, which is to be run by said printing machine, installed beforehand in the user terminal (col. 5 lines 22-27).

Art Unit: 2852

d. It would have been obvious to one of ordinary skill in the art, at the time the invention was made, to incorporate the substitute-printing principles and user notification software of Yacoub with the general management system concepts of Yamashita et al. for the benefit of a truly networked printer management system, whereby a user would not have to choose a different printer or figure out where the closest printer matching his or her job needs is located. (Yacoub, Background of the Invention, beginning line 62)

Conclusion

- 6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:
 - Koyama et al. (US 6,947,675) disclose a remote maintenance and diagnosis apparatus for use with a remote client appliance.
 - Miyawaki (US 5,995,771) disclose a remote service terminal capable of communication with at least one image forming apparatus.
 - Kikuchi et al. (US 6,587,646) disclose a maintenance system including a copy
 machine and management server whereby a serviceperson is notified of copier
 malfunctions by way of a remote information terminal.
 - LoBiondo et al. (US 5,636,008) disclose a remotely accessible user interface for accessing diagnostic information from reprographic equipment.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bryan P. Ready whose telephone number is (571) 272-9018. The examiner can normally be reached 9:00 am - 5:00 pm, Mon.- Fri..

Art Unit: 2852

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Arthur T. Grimley can be reached on (571) 272-2136. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

BPR

Arthur T. Grimley
Supervisory Patent Examiner
Technology Center 2800